












## EN installation instruction




**Precautions (EN).** Installation can only be performed by an authorized electrician; Switch off the electricity supply before carrying out any work; Luminaire must be installed in compliance with all safety requirements; Attention! The exact model of the fixture marked on label inside it.




# BELENIUS LED


### 7




### 8




### 9A.1




### 9A.2 STANDARD



### EMG/EM3




### DALI



**N** – blue / mėlynas / zils / sinine / blau / синий / niebieskie / bł / sininen  
**PE** (⊕) – yellow-green / geltonas-žalias / dzeltens-žalš / kollane-roheline / gelb-grün / желтый-зеленый / żółte-zielone / gult-grønt / keltainen-vihreä  
**L** – brown / rudas / brüuns / pruun / braun / коричневый / brązowe / brun / ruskea


**L2(EMG) / DA(L)** – black / juodas / melns / must / schwarz / черный / czarny / sort / musta  
**DA(N)** – grey / pilkas / pelēks / hall / grau / серый / szary / grå / harma

### 9B.1 (3LIN/1LIN option)




### 9B.2

Connect **L** to terminal L1, L2 or L3 (phase 1, 2 or 3 respectively)




### 9C.1 (5TB option)




NEXT LUMINAIRE		PREVIOUS LUMINAIRE (OR MAINS)	
(PHASE 2) L2	□	L2 (PHASE 2)	□
(PHASE 1) L1	□	L1 (PHASE 1)	□
PE	□	PE	□
N	□	N	□
(PHASE 3) L3	□	L3 (PHASE 3)	□

### 9C.2

Connect **L** to terminal L1, L2 or L3 (phase 1, 2 or 3 respectively)




### 10





# BELENIUS LED

11



close clips symmetrically from the middle to the side of the luminaire

12s



model	L, mm	W, mm	H, mm	D, mm	h, mm	weight, kg
LED1x2050; LED1x2150; LED1x2750; LED1x2950	662	96	111	350	100	1.30
LED2x1250; LED2x1350; LED2x2050; LED2x2150		146				1.80
LED1x3300; LED1x3500; LED1x4050; LED1x4300; LED1x5500; LED1x5850; LED1x6850; LED1x7250	1272	96		700		2.10
LED2x4800; LED2x5050		146				2.80
LED1x4100; LED1x4350; LED1x5050; LED1x5350 LED1x6900; LED1x7300; LED1x8550; LED1x9050	1572	96		940		2.60
LED2x6000; LED2x6350		146				3.30

## Exploitation:

